



## Certificate of Analysis

### Client Information

**Livgreen Manufacturing LLC**  
2414 W 700 S Ste 500  
Springville, UT 84663  
USA  
407-616-7599

### Sample Information

Sample ID: 847017  
Date Received: 9/3/2025  
Description: CBD tincture  
Lot#: CBD-23325BL  
Expiration Date: 08/2027  
Serving Size: 1 mL

### Results

Analysis	Method	<sup>†</sup> MDL / LOQ	Specification	Results	UOM	Lab ID
<u>CBD and THC</u>	ARL 2.058					1
CBD	ARL 2.058	0.002	Record Only	3.410	%	1
CBD - A	ARL 2.058	0.002	Record Only	< 0.002	%	1
<u>CBD - Total</u>	ARL 2.058	0.002	> 1,000	34.103 <sup>Note2</sup>	mg/Serving	1
THC (Δ9)	ARL 2.058	0.002	Record Only	*	%	1
THC - A (Δ9)	ARL 2.058	0.002	Record Only	< 0.002	%	1
<u>THC - Total (Δ9)</u>	ARL 2.058	0.002	Record Only	*Note 3	%	1
Specific Gravity	ARL 2.006	0.01	Record Only	0.95	g/mL	1

### Notes:

1. THC (Δ9) could not be quantified due to matrix interference.

2. Cannabinoid Totals account for mass difference between acid and decarboxylated forms

3. Cannabinoid Totals account for mass difference between acid and decarboxylated forms.

### <sup>†</sup>Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

### <sup>†</sup>Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

**Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.**

Form: coa031201a Report: 847017

experience • professionalism • value



Released by: Spencer Ashby

Date Released: 9/8/2025

Printed on: 9/8/2025 5:03:56 PM

This Certificate of Analysis (COA) represents data only for the sample provided and is valid only in conjunction with the provided QR code. It does not constitute a guarantee of quality for the entire production lot. This COA shall not be reproduced, except in its entirety. Amendments to this COA shall be made only by ARL through written requests by the Client to whom this COA is issued. As a confirmation of validity, the above-provided QR code links to this exact COA on ARL servers. Its absence signals potential alterations.